


FHR-155E inc cradle on extended tilt arm

SKU: V4155-0034

Weatherproof heavy payload robotic pan
and tilt head



PRODUCT DESCRIPTION

Robotic only weatherproof pan and tilt head finished in light grey finish for outdoor broadcast applications. Incorporates an integrated PSU, GPIO and lens drive for full servo Canon and Fujinon lenses.

- + Extended tilt axis for increased tilt range
- + Mounting cradle for camera or enclosure
- + High repeatability and accuracy
- + Smooth camera and lens motion control deliver high quality output
- + Integrated lens interface
- + Ultra-reliable communications protocol
- + High payload with flexible mounting solutions


TECHNICAL SPECIFICATIONS

Payload	90 kg 198.41 lb
Weight	25 kg 55.11 lb
Length	43.6 cm 17.17 in
Tilt Range	±179°
Width	23.5 cm 9.25 in
Application	OB
Color	Light Grey
Pan Range	359°
Robotic Pedestal Compatible	No
Product Type	Robotic
Height	49 cm 19.29 in

IN THE BOX

Includes weatherproof ethernet and power cables, plus camera/enclosure cradle.

YOU MAY ALSO LIKE...



[Weatherproof Camera Enclosure](#)

[Weatherproof Camera Enclosure](#)

[Weatherproof Camera Enclosure](#)