




Osprey Lite Pedestal

SKU: V4169-0001

Portable and Lightweight 2-Stage pedestal with perfectly balanced stage for 'on shot' movement in studios. Payload up to 35kg / 77lb.



PRODUCT DESCRIPTION

The Osprey lite is a lightweight, compact pedestal. It has 2 stages for achieving very high and low shots, and the upper stage is perfectly balanced for on shot tracking of talent. It has an integral manual pump and an inlet valve for use with an external supply, making Perfect Balance easy to achieve. In addition, the Osprey lite pedestal includes a pressure gauge for clear and reliable set-up and the detachable skid allows the pedestal to be simply broken down into two sections for easy storage and transportation. The Osprey Lite pedestal comes with track locks and adjustable cable guards for studio use.

Key features

- Detachable skid for easy transport and storage
- Built in pressure gauge and manual pump for easy set-up
- Perfect balance & adjustable second stage for wide operating range
- Lightweight and compact
- Column can be adapted to work on dolly track

TECHNICAL SPECIFICATIONS

Range	Osprey
Payload	35 kg 77.16 lb
Weight	13.3 kg 29.32 lb
Application	Commercial/Corporate, HOW, Multicam, Live Studio
Tracking Width	69 cm 27.17 in
Transit Width	73.3 cm 28.86 in
Color	Black
Wheel Locks	Individual
Cable Guards	Wheel truck mounted, individually adjusted
Pedestal Base	Open
Stages	2
Perfect Balance Stages	1
On Shot Stroke	41 cm to 16.14 in to
Height	64 cm to 149 cm 25.2 in to 58.66 in
Wheel Diameter	10 cm 3.94 in
Steering Ring Diameter	38 cm 14.96 in

IN THE BOX

- Osprey Lite Column
- ENG Studio Skid
- Manual Pump
- User Guide

YOU MAY ALSO LIKE...



[Heavy-Duty QUICKFIX Adaptor](#)



[Nitrogen Charging Adaptor](#)



[100 mm Levelling Bowl Adaptor](#)



[Vision 250F Pan and Tilt Head, Flat Base](#)