



Quattro-SL Pedestal

SKU: V3963-0002

Easily tracks through confined spaces

PRODUCT DESCRIPTION

Easily tracks through confined spaces.

The Quattro-SL is a compact pedestal ideal for multi-camera studio locations. It easily tracks through confined spaces (including a standard sized door for multi-studio locations) and works alongside other pedestals.

Key features

- Ultra-ridged tri-section 4-stage column for the longest possible vertical stroke and superb stability
- Perfect balance column for effortless elevation
- Crab and steer control for enhanced manoeuvrability and on-shot steering
- Solid aluminium base for ultimate stability
- Ergonomic, easy access of controls

TECHNICAL SPECIFICATIONS

Range	Quattro
Payload	80 kg 176.37 lb
Weight	136 kg 299.82 lb
Application	Live Studio
Tracking Width	81 cm 31.89 in
Transit Width	82 cm 32.28 in
Trim Weights	7500
Color	Black
Wheel Locks	Single-point
Cable Guards	Single continuous guard, single-point adjustment
Pedestal Base	Skirted
Stages	4
Perfect Balance Stages	4
On Shot Stroke	100 cm to 39.37 in to
Height	47 cm to 147 cm 18.5 in to 57.87 in
Narrow Transit Width	74.5 cm 29.33 in
Wheel Diameter	12 cm 4.72 in
Steering Ring Diameter	74 cm 29.13 in

IN THE BOX

- Quattro-SL Pedestal
- User Guide

YOU MAY ALSO LIKE...




[Heavy-Duty QUICKFIX Adaptor](#)



[Nitrogen Charging Adaptor](#)



[Manual Portable Pump](#)



[Mitchell Adaptor to 4-Bolt Flat Base](#)