



## System Vision 100 2-stage CF PL MS SC

**SKU:** VB100-CP2M

Premium quality and performance for ENG applications

### PRODUCT DESCRIPTION

Combining Perfect Balance with the TF drag system, the Vision 100 allows total control and consistent performance in the toughest conditions. Illuminated drag controls and a digital counterbalance readout ensure simple and repeatable camera set-up in any lighting situation.

This Vision 100 system comes packaged with two-stage carbon fibre tripod, mid-level spreader and ergonomically designed carry case.

## TECHNICAL SPECIFICATIONS

<b>Range</b>	Vision
<b>Counterbalance</b>	Perfect Balance infinitely adjustable spring balance with readout
<b>Payload</b>	7 kg to 20 kg   15.43 lb to 44.09 lb
<b>Material</b>	Carbon Fibre
<b>Weight</b>	7.1 kg   15.65 lb
<b>Drag</b>	TF Drag System with backlit and calibrated control
<b>Pan Bar Count</b>	2
<b>Bowl size</b>	100 mm
<b>Tripod Stages</b>	2
<b>Application</b>	Documentaries, News, Sports
<b>Operating Temperature</b>	-40 °C to 60 °C   -40 °F to 140 °F
<b>Interface Compatibility</b>	Ball
<b>Transport Length</b>	85.9 cm   33.82 in
<b>Head Type</b>	Vision 100
<b>Height</b>	56.5 cm to 170.5 cm   22.24 in to 67.13 in

## IN THE BOX

- [Vision 100 Pan and Tilt Head](#) (3466-3)
- [2-Stage Carbon Fibre ENG Pozi-Loc Tripod 100 mm](#) (3772-3)
- [Spread-Loc Mid-Level Spreader](#) (3781-3)
- [Soft Case Vision 2-Stage Tripod Systems](#) (3340-3)

## YOU MAY ALSO LIKE...



System Vision 100  
flowtech™100 GS



System Vision 100  
flowtech™100 MS