



# System Vision blue5 flowtech™75 GS

SKU: VB5-FTGS

System Vision blue5 with flowtech®75 carbon fibre tripod with ground spreader and carry handle





## **PRODUCT DESCRIPTION**

The Vinten System Vision blue5 fluid head with flowtech®75 carbon fibre tripod legs offer a professional tripod system for videographers who use camcorders weighing up to 12kg/ 26.5 pounds. The Vision blue5 pan and tilt head provides perfect balance and is effortless to use with precise adjustable drag to match your shooting style.

The system includes a ground spreader and bag.

Key Features and Benefits

Vision Blue Head

- Perfect balance for professional production
- High contrast blue LED leveling bubble for quick, precise set-up
- Ergonomic design of all controls for effortless use

#### flowtech®75 tripod legs

- Unique quick release brakes. Deploy and adjust your tripod in an instant. New ergonomic carbon fibre leg design
- Easy to transport and exceptional torsional stiffness + Versatile hinge lock mechanism.
- Capture extremely low and high shots + Extensive endurance and environmental testing.
- Superior performance and reliability.

flowtech® ground spreader

- Easy foot control to extent spreader arms.
- Removable feet to operate without spreader in low positions.
- Fast and simple setup.




## **TECHNICAL SPECIFICATIONS**

Height Without Spreader	41 cm to 169 cm   16.14 in to 66.54 in
Range	Vision
Counterbalance	Perfect Balance infinitely adjustable spring balance
Payload	5.5 kg to 12 kg   12.13 lb to 26.46 lb
Material	Carbon Fibre
Weight	6.5 kg   14.33 lb
Drag	LF Drag System
Bowl size	75 mm
Tripod Stages	2
Application	Commercial/Corporate, Documentaries, News
Operating Temperature	-15 °C to 30 °C   5 °F to 86 °F
Interface Compatibility	Ball
Transport Length	83 cm   32.68 in
Head Type	Vision blue5
Height	54 cm to 173 cm   21.26 in to 68.11 in



### **DATA SHEETS**

Vision blue5 balance graph





#### YOU MAY ALSO LIKE...





System Vision blue5 flowtech75 MS

System Vision 8AS flowtech™100 GS

vinten.com