



Vector 750 Pan and Tilt Head

SKU: V4034-0001

A versatile head for all Studio and OB broadcast applications covering ENG/EFP and box lenses, teleprompters and Talent Monitors.

PRODUCT DESCRIPTION

The Vector 750 maximum payload of 75 kg / 165 lbs allows a greater use of camera accessories such as talent monitors and spotlights. The unique counterbalance mechanism makes adjustments simple, eliminating the need for time consuming cam changes when altering the camera configuration. The smooth operation in both pan and tilt movements with infinite adjustability for both the Perfect Balance and TF drag system ensures high levels of control, exceptionally smooth movement in any situation and outstanding whip pan.

- Replaceable pan bar fixings for long serviceable life
- Retractable "T" bar slide plate positioner
- Pantographic counterbalance for rapid camera/lens balancing

TECHNICAL SPECIFICATIONS

Application	Live, Multicam Studio, Outside Broadcast, Sports
Camera Plate Fixing	Wedge Adaptor
Range	Vector
Counterbalance	Perfect Balance infinitely adjustable pantograph balance system
Payload	10 kg to 75 kg 22.05 lb to 165.34 lb
Weight	17.8 kg 39.24 lb
Drag	TF Drag System with backlit and calibrated control
Pan Bar Type	Telescopic
Pan Bar Count	1
Level Bubble	Yes (Illuminated)
Platform Adjustment	+145 to -163
Bowl size	Four-bolt flat with Quickfix
Length	35.5 cm 13.98 in
Tilt Range	to $\pm 52^{\circ}$
Width	34.8 cm 13.7 in
Battery Type	9V, PP3 battery
Height	32.6 cm 12.83 in

IN THE BOX

- Vector 750 Head
- Telescopic Vector Pan Bar (3219-82)
- 3/8 in. Mounting Bolts and Washers (4)
- Spanner
- User Guide

YOU MAY ALSO LIKE...



[Quattro-L Pedestal](#)



[Quattro-OBL Pedestal](#)



[Quattro-SL Pedestal](#)



[Heavy-Duty QUICKFIX Adaptor](#)