



Vision 10AS 2-Stage Carbon Fibre Tripod System with Ground Spreader

SKU: V10AS-CP2F

The cost effective, professional system

PRODUCT DESCRIPTION

The Vision 10AS pan and tilt head incorporates many unique features and design improvements which have been developed in direct response to customer feedback. The Side load system, bold blue illuminated levelling bubble and Perfect Balance ensure simple rapid set-up in all situations.

The Vision 10AS systems is suitable for a wide range of digital camcorders in ENG configuration and is suited to a wide variety of productions from documentary shoots to breaking news coverage. The system is available packaged with a two-stage black aluminium Pozi-Loc tripod, ground spreader and ergonomically designed carry case.

TECHNICAL SPECIFICATIONS


Range	Vision
Counterbalance	Perfect Balance infinitely adjustable spring balance
Payload	6.5 kg to 17 kg 14.33 lb to 37.48 lb
Material	Carbon Fibre
Weight	8.1 kg 17.86 lb
Drag	LF Drag System
Bowl size	100 mm
Tripod Stages	2
Application	Commercial/Corporate, Documentaries, News
Operating Temperature	-15 °C to 30 °C 5 °F to 86 °F
Interface Compatibility	Ball
Transport Length	86.6 cm 34.09 in
Head Type	Vision 10AS
Height	77.8 cm to 160.2 cm 30.63 in to 63.07 in

IN THE BOX

- [Vision 10AS Pan and Tilt Head](#) (V4046-0001)
- [2-Stage Carbon Fibre ENG Pozi-Loc Tripod 100 mm](#) (3772-3)
- [Lightweight Ground Spreader](#) (3363-3)
- [Soft Case flowtech75 Systems](#) (V4150-1850)

DATA SHEETS

10AS Balance Chart



YOU MAY ALSO LIKE...



[System Vision 10AS
flowtech™100 GS](#)