



## Vision 250F Pan and Tilt Head, Flat Base

**SKU:** 3465-3F

Sets the standard in new studio production as well as OB/EFP applications

### PRODUCT DESCRIPTION

The class leading Vision 250 supports the latest system cameras complete with viewfinders, prompters and pan bar controls for studio production as well as OB/EFP applications. The TF drag system offers infinite adjustment and because it works independently of the balance system, allows precision balancing of the pan and tilt axis so that the effort needed to follow the action becomes insignificant.

The Vision 250 also includes illuminated drag controls and a digital counterbalance readout, ensuring simple and repeatable camera set-up in any lighting situation.

#### Key features

- Instant responsiveness from Perfect Balance
- Thin Film drag (TF) for outstanding whip pan
- LED levelling bubble for quick, precise set-up
- Extensive operating temperature from -40°C to +60°C
- Automatic back-lit dials for low light conditions
- Digital balance readout for quick repeatable set-ups

## TECHNICAL SPECIFICATIONS

<b>Application</b>	Documentaries, Live, Multicam Studio, Outside Broadcast, Sports
<b>Camera Plate Fixing</b>	Two-way Sliding Plate
<b>Counterbalance</b>	Perfect Balance infinitely adjustable spring balance with readout
<b>Payload</b>	3 kg to 33 kg   6.61 lb to 72.75 lb
<b>Weight</b>	6.1 kg   13.45 lb
<b>Drag</b>	TF Drag System with backlit and calibrated control
<b>Pan Bar Type</b>	Telescopic
<b>Flat Base</b>	Four bolt flat with Quickfix
<b>Pan Bar Count</b>	1
<b>Camera Fixing</b>	Vision sliding plate with two 3/8 in. camera fixing screws
<b>Level Bubble</b>	Yes (Illuminated)
<b>Platform Adjustment</b>	+45 to -70
<b>Bowl size</b>	Four-bolt flat with Quickfix
<b>Length</b>	24.4 cm   9.61 in
<b>Tilt Range</b>	±60° to ±90°
<b>Width</b>	15.9 cm   6.26 in
<b>Battery Type</b>	9V, PP3 battery
<b>Height</b>	18.4 cm   7.24 in

## IN THE BOX

- Vision 250 Pan and Tilt Head, Flat Base
- Camera Plate complete with 3/8 in. camera screws (2)
- Telescopic Pan Bar (3219-91)
- 3/8 in. Mounting Bolts and Washers (4)
- Spanner
- User Guide

## YOU MAY ALSO LIKE...



[Heavy Duty Flexible Ground Spreader](#)



[Spread-Loc Mid-Level Spreader](#)



[Lightweight Ground Spreader](#)



[Hard Transit Case for EFP Systems](#)