



Vision 8AS Pan and Tilt Head

SKU: V4045-0001

Premium broadcast quality for professionals using the latest portable camera configurations

PRODUCT DESCRIPTION

Improved access to controls, rapid camera attachment using the Vinten Sideload system and simple, durable brakes are all designed to cope with the demands of professional operation. Combined with Vinten's Perfect Balance and LF drag technology, this makes the Vision 8AS the ideal tool for a wide range of challenging, professional applications.

Key features

- Perfect balance for effortless production
- High contrast blue LED levelling bubble for quick, precise set up
- Ergonomic design of all controls for effortless use
- Sideload system for rapid safe camera changes


TECHNICAL SPECIFICATIONS

Application	Commercial/Corporate, Documentaries, News
Camera Plate Fixing	Quick Release Sideload
Counterbalance	Perfect Balance infinitely adjustable spring balance
Payload	5.5 kg to 14 kg 12.13 lb to 30.86 lb
Weight	3.1 kg 6.83 lb
Drag	Calibrated infinitely adjustable LF Drag System
Pan Bar Type	Telescopic
Pan Bar Count	1
Level Bubble	Yes (Illuminated)
Platform Adjustment	+56 to -42
Bowl size	100 mm
Length	13.8 cm 5.43 in
Tilt Range	to $\pm 90^\circ$
Width	15.1 cm 5.94 in
Battery Type	3V, CR2032 cell
Height	16 cm 6.3 in

IN THE BOX

- Vision 8AS Pan and Tilt Head
- Camera Plate complete with 1/4 in. camera screw and pin assembly and 3/8 in. camera screws (2)
- Fixed Length Pan Bar (3219-101)
- Bowl Clamp Knob
- Field Spares Kit containing replacement brake knobs (2), brake caps and securing screws & replacement battery (1)
- User Guide

DATA SHEETS



YOU MAY ALSO LIKE...



[Vision 10AS Pan and Tilt Head](#)



[System Vision 8AS flowtech™ 100 MS](#)