



Vision blue3 Two-Stage Tripod System with Mid-Level Spreader

SKU: VB3-AP2M

The ideal system for small camcorders or highly accessorised DSLRs

PRODUCT DESCRIPTION

The Vision blue3 head and tripod system delivers effortless support, providing perfect balance and precisely adjustable drag to exactly match your style. The perfect balance and control can be adapted for DSLRs and camcorders from just 2.1kg / 3.3 lbs when using the new Vision blueBridge.

This system package comprises of the Vision blue3 head, two-stage aluminium Pozi-Loc tripod, mid-level spreader and soft case.



TECHNICAL SPECIFICATIONS

Range	Vision
Counterbalance	Perfect Balance infinitely adjustable spring balance
Payload	3 kg to 6.6 kg 6.61 lb to 14.55 lb
Material	Aluminium
Weight	6.5 kg 14.33 lb
Drag	LF Drag System
Bowl size	75 mm
Tripod Stages	2
Application	Commercial/Corporate, Documentaries, Wedding Video
Operating Temperature	-15 °C to 30 °C 5 °F to 86 °F
Interface Compatibility	Ball
Transport Length	85 cm 33.46 in
Head Type	Vision blue3
Height	55 cm to 169.5 cm 21.65 in to 66.73 in

IN THE BOX

- <u>Vision blue3 Pan and Tilt Head</u> (V4106-0001)
- 2-Stage Aluminium ENG Pozi-Loc Tripod 75 mm (3819-3)
- Vision blue3 Pan and Tilt Head (V4106-0001)
- Mid-level spreader flowtech® 75 (V4151-1001)
- Soft Case flowtech75 Systems (V4150-1850)

YOU MAY ALSO LIKE...





System Vision blue5 flowtech75 MS



System Vision blue3 flowtech75 MS